

Southco

INDUSTRIES, INC.

Forestry Truck Bodies



Model S-30

1840 E. Dixon Blvd., Shelby, NC 28150



16' Long x 84" High Chip Body (30 Cubic Yards) "L" Cross Box with Underbody Boxes. Requires Minimum 28,000 GVWR Chassis Cab with 120" CA.

Specifications: Model S-30

General

- All G-60 galvanized Material (Zinc Coated, Resists Rust)
- All wiring in conduit
- Sealed lexan lens lights meet FMVSS 108 specs
- Anti-sail mud flaps
- Twin cylinder hoist with power take off
- Trailer light connector 4 to 6 pole
- Pintle, or pintle/ball combination trailer hitch w/tow hooks
- Bodies: mounted, undercoated, chemically degreased, cold tar epoxy coating inside chip box, primed and painted (paint warranted)
- Stainless steel hinge pins
- Tool Boxes
- "weatherproofed"
- Chipper air exhaust vents

Overall Body Dimensions

- Length: 192"
- Height: 84"
- Width: 92"

Chip Box Material (Galvannealed)

Floor: 10 ga. plate
Sides & Front: 12 ga. plate
Top: 14 ga. plate
Tailgate: (270 degree swing) 12 ga. plate w/ tubing frame
Runners: 8" structural channel
Cross members: 3" structural channel
Rear vertical support: structural square tubing
Rear horizontal support: 4" x 2" x 1/4" rectangular tubing

Tool Boxes (14-ga. Galvannealed)

Underbody tool boxes:
(two) 55" long x 20" high x 18" deep

Optional

Cross Box: 24" long x 92" wide x 26" high across chassis rails;
Door: 24" long x 48" high; (6) rope hooks, stationary shelf and water cooler holder
Ladder box (inside chip box) 168" long x 12" wide
Pruner box (inside chip box) 192" long x 12" wide
Locks: T-handle, keyed with hidden theft resistant rods
Tool boxes and step-type rear bumper (behind rear axle 34" long x 20" high x 18" deep)
Cab protector
NOTE: Chassis cabs available to complete the package. Minimum 28,000 GVWR chassis cab W/120" CA required



**Exclusive PPG
Automotive Finishes**

